

MEETKOFFERS EN VERSCHILLENDE COMBINATIEMOGELIJKHEDEN

Sensor Codes for Measuring Sets

Measuring ranges HySense® PR 100 / PR 300		Code xx	Measuring ranges HySense® PR 101		Code yy	Measuring ranges HySense® QT 100		Code zz
-1 ... 6 bar	-0.1 ... 0.6 MPa	32	0 ... 60 bar	0 ... 6 MPa	21	1 ... 10 l/min	01	
0 ... 60 bar	0 ... 6 MPa	21	0 ... 250 bar	0 ... 25 MPa	17	2 ... 75 l/min	70	
0 ... 200 bar	0 ... 20 MPa	10	0 ... 400 bar	0 ... 40 MPa	15	9 ... 300 l/min	71	
0 ... 400 bar	0 ... 40 MPa	15	0 ... 600 bar	0 ... 60 MPa	18	16 ... 600 l/min	72	
0 ... 600 bar	0 ... 60 MPa	18						

Toestel

Bestelnummer

MultiHandy 3020 (*)	3160-00-72.00
MultiHandy 3025 (*)	3160-00-73.00
MultiBox 3060 (*)	3160-00-00.85
MultiBox 3061 (*)	3160-00-00.86
MultiBox 3065 (*)	3160-00-00.87
MultiHandy 3050 (*)	3160-00-63.00
MultiSystem 5060	3160-00-70.00
MultiSystem 8050	3160-00-65.00
MultiControl 8050	3160-00-66.00

(*) Onbeperkte licentie HydroCom6 (3 st.) 8874-19-01.02

MultiHandy 3020	Component	Order number	Measuring sets					
			p/p	B/p/p	p/T	B/p/T	p/T/Q	B/p/T/Q
	MultiHandy 3020	3160-00-72.00	1	1	1	1	1	1
	Power pack 115/230 VAC	8812-20-02.00	1	1	1	1	1	1
	USB data cord	8824-F4-02.00	1	1	1	1	1	1
	Pressure sensor HySense® PR 100	3403-xx-S-E5.33	2	-	1	-	1	-
	Direct connector Minimes® 1620 for HySense® PR 100	2103-07-18.62N	2	-	1	-	1	-
	Pressure sensor with direct connector HySense® PR 101	34W3-yy-S-E5.33	-	2	-	1	-	1
	Temperature sensor HySense® TE 100	3973-04-S-01.00	-	-	1	1	1	1
	Volume flow sensor HySense® QT 100	31V7-zz-S-35.030	-	-	-	-	1	1
	Measuring cord MKS 6 pole, 5 m	8824-S1-05.00Y	2	2	2	2	3	3
	Plastic case (black) with box for HySense QT	3160-00-62.06	1	1	1	1	1	1

Meetkoffer

Bestelnummer

3020 + 2x druksensor PR100	3020/p/p-xx-xx
3020 + 2x druksensor PR101	3020B/p/p-yy-yy
3020 + 1x druksensor PR100 + T-opnemer	3020/p/T-xx-xx
3020 + 1x druksensor PR101 + T-opnemer	3020B/p/T-yy-yy
3020 + 1x druksensor PR100 + T-opnemer + Turbine	3020p/T/Q-xx-zz
3020 + 1x druksensor PR101 + T-opnemer + Turbine	3020Bp/T/Q-yy-zz

Onbeperkte licentie HydroCom6 (3 st.) 8874-19-01.02

Component	Order number	Measuring sets					
		p/p	B p/p	p/T	B p/T	p/T/Q	B p/T/Q
MultiHandy 3025	3160-00-73.00	1	1	1	1	1	1
Power pack 115/230 VAC	8812-20-02.00	1	1	1	1	1	1
USB data cord	8824-F4-02.00	1	1	1	1	1	1
Pressure sensor HySense® PR 100	3403-xx-S-E5.33	2	-	1	-	1	-
Direct connector Minimes® 1620 for HySense® PR 100	2103-07-18.62N	2	-	1	-	1	-
Pressure sensor with direct connector HySense® PR 101	34W3-yy-S-E5.33	-	2	-	1	-	1
Temperature sensor HySense® TE 100	3973-04-S-01.00	-	-	1	1	1	1
Volume flow sensor HySense® QT 100	31V7-zz-S-35.030	-	-	-	-	1	1
Measuring cord MKS 6 pole, 5 m	8824-S1-06.00Y	2	2	2	2	3	3
Plastic case (black) with box for HySense QT	3160-00-62.06	1	1	1	1	1	1

Meetskoffer

Bestelnummer

3025 + 2x druksensor PR100	3025/p/p-xx-xx
3025 + 2x druksensor PR101	3025B/p/p-yy-yy
3025 + 1x druksensor PR100 + T-opnemer	3025/p/T-xx-xx
3025 + 1x druksensor PR101 + T-opnemer	3025B/p/T-yy-yy
3025 + 1x druksensor PR100 + T-opnemer + Turbine	3025p/T/Q-xx-zz
3025 + 1x druksensor PR101 + T-opnemer + Turbine	3025Bp/T/Q-yy-zz

Onbeperkte licentie HydroCom6 (3 st.) 8874-19-01.02

Component	Order number	Measuring sets					
		p/p	B p/p	p/T	B p/T	p/T/Q	B p/T/Q
MultiHandy 3050	3160-00-63.00	1	1	1	1	1	1
Power pack 115/230 VAC	8812-20-02.00	1	1	1	1	1	1
USB data cord	8824-F4-02.00	1	1	1	1	1	1
Pressure sensor HySense® PR 100	3403-xx-S-E5.33	2	-	2	-	2	-
Direct connector Minimes® 1620 for HySense® PR 100	2103-07-18.62N	2	-	2	-	2	-
Pressure sensor with direct connector HySense® PR 101	34W3-yy-S-E5.33	-	2	-	2	-	2
Temperature sensor HySense® TE 100	3973-04-S-01.00	-	-	1	1	1	1
Volume flow sensor HySense® QT 100	31V7-zz-S-35.030	-	-	-	-	1	1
Measuring cord MKS 6 pole, 5 m	8824-S1-06.00Y	2	2	3	3	4	4
Plastic case (black) with box for HySense QT	3160-00-62.06	1	1	1	1	1	1

Meetskoffer

Bestelnummer

3050 + 2x druksensor PR100	3050/p/p-xx-xx
3050 + 2x druksensor PR101	3050B/p/p-yy-yy
3050 + 2x druksensor PR100 + T-opnemer	3050/p/p/T-xx-xx
3050 + 2x druksensor PR101 + T-opnemer	3050B/p/p/T-yy-yy
3050 + 2x druksensor PR100 + T-opnemer + Turbine	3050p/p/T/Q-xx-zz
3050 + 2x druksensor PR101 + T-opnemer + Turbine	3050Bp/p/T/Q-yy-zz

Onbeperkte licentie HydroCom6 (3 st.) 8874-19-01.02

MultiSystem 5060		Measuring sets		
		p/p	p/p/T	p/p/T/Q
Component	Order number			
MultiSystem 5060	3160-00-70.00	1	1	1
Power pack 115/230 VAC	8812-20-02.00	1	1	1
USB data cord	8824-F4-02.00	1	1	1
Pressure sensor HySense® PR100	3403-xx-S-E5.33	2	2	2
Direct connector Minimes® 1620 for HySense® PR100	2103-07-18.62N	2	2	2
Temperature sensor HySense® TE 100	3973-04-S-01.00	-	1	1
Volume flow sensor HySense® QT100	31V7-zz-S-35.030	-	-	1
Measuring cord MKS 6 pole, 5 m	8824-S1-05.00Y	2	3	4
Plastic case (black) with box for HySense QT	3160-00-70.01	1	1	1

Meetskoffer

Bestelnummer

5060 + 2x druksensor PR100	5060/p/p-xx-xx
5060 + 2x druksensor PR100 + T-opnemer	5060/p/p/T-xx-xx
5060 + 2x druksensor PR100 + T-opnemer + Turbine	5060p/p/T/Q-xx-xx-zz

Onbeperkte licentie HydroCom6 (3 st.)	8874-19-01.02
---------------------------------------	---------------

MultiBox 3060		Measuring sets					
		A p/p	B p/p	A p/p/T	B p/p/T	A p/p/T/Q	B p/p/T/Q
Component	Order number						
MultiBox 3060	3160-00-00.85	1	1	1	1	1	1
Power pack 115/230 VAC	8812-00-00.85	-	-	-	-	-	-
USB data cord	8824-P4-08.00	1	1	1	1	1	1
Pressure sensor HySense® PR100	3403-xx-S-E5.33	2	-	2	-	2	-
Direct connector Minimes® 1620 for HySense® PR100	2103-07-18.62N	2	-	2	-	2	-
Pressure sensor with direct connector HySense® PR101	34W3-yy-S-E5.33	-	2	-	2	-	2
Temperature sensor HySense® TE 100	3973-04-S-01.00	-	-	1	1	1	1
Volume flow sensor HySense® QT100	31V7-zz-S-35.030	-	-	-	-	1	1
Measuring cord MKS 6 pole, 5 m	8824-S1-05.00Y	2	2	3	3	4	4
Plastic case (black) with box for HySense QT	3160-00-62.09	1	1	1	1	1	1

Meetskoffer

Bestelnummer

3060 + 2x druksensor PR100	3060A/p/p-xx-xx
3060 + 2x druksensor PR101	3060B/p/p-yy-yy
3060 + 2x druksensor PR100 + T-opnemer	3060A/p/p/T-xx-xx
3060 + 2x druksensor PR101 + T-opnemer	3060B/p/p/T-yy-yy
3060 + 2x druksensor PR100 + T-opnemer + Turbine	3060Ap/p/T/Q-xx-xx-zz
3060 + 2x druksensor PR101 + T-opnemer + Turbine	3060Bp/p/T/Q-yy-yy-zz
Onbeperkte licentie HydroCom6 (3 st.)	8874-19-01.02

MultiBox 3061	Component	Order number	Measuring sets					
			A p/p	B p/p	A p/p/T	B p/p/T	A p/p/T/Q	B p/p/T/Q
	MultiBox 3061	3160-00-00.86	1	1	1	1	1	1
	Power pack 115/230 VAC	8812-00-00.85	1	1	1	1	1	1
	USB data cord	8824-P4-08.00	1	1	1	1	1	1
	Pressure sensor HySense® PR 100	3403-xx-S-E5.33	2	-	2	-	2	-
	Direct connector Minimes® 1620 for HySense® PR 100	2103-07-18.62N	2	-	2	-	2	-
	Pressure sensor with direct connector HySense® PR 101	34W3-yy-S-E5.33	-	2	-	2	-	2
	Temperature sensor HySense® TE 100	3973-04-S-01.00	-	-	1	1	1	1
	Volume flow sensor HySense® QT 100	31V7-zz-S-36.030	-	-	-	-	1	1
	Measuring cord MKS 6 pole, 5 m	8824-S1-06.00Y	2	2	3	3	4	4
	Plastic case (black) with box for HySense QT	3160-00-62.09	1	1	1	1	1	1

Meetskoffer

Bestelnummer

3061 + 2x druksensor PR100	3061A/p/p-xx-xx
3061 + 2x druksensor PR101	3061B/p/p-yy-yy
3061 + 2x druksensor PR100 + T-opnemer	3061A/p/p/T-xx-xx
3061 + 2x druksensor PR101 + T-opnemer	3061B/p/p/T-yy-yy
3061 + 2x druksensor PR100 + T-opnemer + Turbine	3061Ap/p/T/Q-xx-xx-zz
3061 + 2x druksensor PR101 + T-opnemer + Turbine	3061Bp/p/T/Q-yy-yy-zz
Onbeperkte licentie HydroCom6 (3 st.)	8874-19-01.02

MultiBox 3065	Component	Order number	Measuring sets					
			A p/p	B p/p	A p/p/T	B p/p/T	A p/p/T/Q	B p/p/T/Q
	MultiBox 3065	3160-00-00.87	1	1	1	1	1	1
	Power pack 115/230 VAC	8812-00-00.85	1	1	1	1	1	1
	USB data cord	8824-P4-08.00	1	1	1	1	1	1
	Pressure sensor HySense® PR 100	3403-xx-S-E5.33	2	-	2	-	2	-
	Direct connector Minimes® 1620 for HySense® PR 100	2103-07-18.62N	2	-	2	-	2	-
	Pressure sensor with direct connector HySense® PR 101	34W3-yy-S-E5.33	-	2	-	2	-	2
	Temperature sensor HySense® TE 100	3973-04-S-01.00	-	-	1	1	1	1
	Volume flow sensor HySense® QT 100	31V7-zz-S-36.030	-	-	-	-	1	1
	Measuring cord MKS 6 pole, 5 m	8824-S1-06.00Y	2	2	3	3	4	4
	Plastic case (black) with box for HySense QT	3160-00-62.09	1	1	1	1	1	1

Meetskoffer

Bestelnummer

3065 + 2x druksensor PR100	3065A/p/p-xx-xx
3065 + 2x druksensor PR101	3065B/p/p-yy-yy
3065 + 2x druksensor PR100 + T-opnemer	3065A/p/p/T-xx-xx
3065 + 2x druksensor PR101 + T-opnemer	3065B/p/p/T-yy-yy
3065 + 2x druksensor PR100 + T-opnemer + Turbine	3065Ap/p/T/Q-xx-xx-zz
3065 + 2x druksensor PR101 + T-opnemer + Turbine	3065Bp/p/T/Q-yy-yy-zz
Onbeperkte licentie HydroCom6 (3 st.)	8874-19-01.02